

**NOTICE PUBLICATION/REGULATIONS SUBMISSION**

**FILE PRINT**

(See instructions on reverse)

For use by Secretary of State only

TD. 400 (REV. 6-1-2013)

<b>OAL FILE NUMBERS</b>	<b>NOTICE FILE NUMBER</b>	<b>REGULATORY ACTION NUMBER</b>	<b>EMERGENCY NUMBER</b>
	Z-	2016-1229-01FP	

For use by Office of Administrative Law (OAL) only

2016 DEC 29 A 8:51  
OFFICE OF ADMINISTRATIVE LAW

<b>NOTICE</b>	<b>REGULATIONS</b>
<b>AGENCY WITH RULEMAKING AUTHORITY</b> Department of Justice	<b>AGENCY FILE NUMBER (If any)</b>

**1. PUBLICATION OF NOTICE (Complete for publication in Notice Register)**

<b>1. SUBJECT OF NOTICE</b> Bullet-Button Assault Weapons	<b>TITLE(S)</b> 11	<b>FIRST SECTION AFFECTED</b> 5469	<b>2. REQUESTED PUBLICATION DATE</b> ASAP
<b>3. NOTICE TYPE</b> <input type="checkbox"/> Notice re Proposed Regulatory Action <input checked="" type="checkbox"/> Other	<b>4. AGENCY CONTACT PERSON</b> Jacqueline Dosch	<b>TELEPHONE NUMBER</b> (916) 227-5419	<b>FAX NUMBER (Optional)</b>
<b>OAL USE ONLY</b>	<b>ACTION ON PROPOSED NOTICE</b> <input type="checkbox"/> Approved as Submitted <input type="checkbox"/> Approved as Modified <input type="checkbox"/> Disapproved/Withdrawn	<b>NOTICE REGISTER NUMBER</b>	<b>PUBLICATION DATE</b>

**3. SUBMISSION OF REGULATIONS (Complete when submitting regulations)**

<b>1a. SUBJECT OF REGULATION(S)</b> Bullet-Button Assault Weapons	<b>1b. ALL PREVIOUS RELATED OAL REGULATORY ACTION NUMBER(S)</b>
--	---

**2. SPECIFY CALIFORNIA CODE OF REGULATIONS TITLE(S) AND SECTION(S) (Including title 26, if toxics related)**

<b>SECTION(S) AFFECTED (List all section number(s) individually. Attach additional sheet if needed.)</b>	<b>ADOPT</b> Sections 5470, 5471, 5472, 5474, 5474.1, 5474.2, 5475, 5476, 5477, and 5478
	<b>AMEND</b> Sections 5469 and 5473
<b>TITLE(S)</b> 11	<b>REPEAL</b>

**3. TYPE OF FILING**

<input type="checkbox"/> Regular Rulemaking (Gov. Code §11346)	<input type="checkbox"/> Certificate of Compliance: The agency officer named below certifies that this agency complied with the provisions of Gov. Code §§11346.2-11347.3 either before the emergency regulation was adopted or within the time period required by statute.	<input type="checkbox"/> Emergency Readopt (Gov. Code, §11346.1(h))	<input type="checkbox"/> Changes Without Regulatory Effect (Cal. Code Regs., title 1, §100)
<input type="checkbox"/> Resubmittal of disapproved or withdrawn nonemergency filing (Gov. Code §§11349.3, 11349.4)	<input type="checkbox"/> Resubmittal of disapproved or withdrawn emergency filing (Gov. Code, §11346.1)	<input checked="" type="checkbox"/> File & Print	<input type="checkbox"/> Print Only
<input type="checkbox"/> Emergency (Gov. Code, §11346.1(b))		<input type="checkbox"/> Other (Specify) _____	

**4. ALL BEGINNING AND ENDING DATES OF AVAILABILITY OF MODIFIED REGULATIONS AND/OR MATERIAL ADDED TO THE RULEMAKING FILE (Cal. Code Regs. title 1, 544 and Gov. Code §11347.1)**

N/A

**5. EFFECTIVE DATE OF CHANGES (Gov. Code, §§ 11343.4, 11346.1(d); Cal. Code Regs., title 1, §100)**

<input type="checkbox"/> Effective January 1, April 1, July 1, or October 1 (Gov. Code §11343.4(a))	<input type="checkbox"/> Effective on filing with Secretary of State	<input type="checkbox"/> \$100 Changes Without Regulatory Effect	<input checked="" type="checkbox"/> Effective other (Specify) <b>January 1, 2017.</b>
---	--	--	---

**6. CHECK IF THESE REGULATIONS REQUIRE NOTICE TO, OR REVIEW, CONSULTATION, APPROVAL OR CONCURRENCE BY, ANOTHER AGENCY OR ENTITY**

<input type="checkbox"/> Department of Finance (Form STD. 399) (SAM §6660)	<input type="checkbox"/> Fair Political Practices Commission	<input type="checkbox"/> State Fire Marshal
<input type="checkbox"/> Other (Specify) _____		

<b>7. CONTACT PERSON</b> Jacqueline Dosch	<b>TELEPHONE NUMBER</b> (916) 227-5419	<b>FAX NUMBER (Optional)</b>	<b>E-MAIL ADDRESS (Optional)</b> Regulations@doj.ca.gov
--	---	------------------------------	--

**8. I certify that the attached copy of the regulation(s) is a true and correct copy of the regulation(s) identified on this form, that the information specified on this form is true and correct, and that I am the head of the agency taking this action, or a designee of the head of the agency, and am authorized to make this certification.**

For use by Office of Administrative Law (OAL) only

<b>SIGNATURE OF AGENCY HEAD OR DESIGNEE</b> 	<b>DATE</b> 12.28.16
<b>TYPED NAME AND TITLE OF SIGNATORY</b> Nathan R. Barankin, Chief Deputy Attorney General	

California Code of Regulations  
Title 11, Division 5

Chapter 39 Assault Weapons and Large-Capacity Magazines

Article 2. Definitions of Terms Used to Identify Assault Weapons Registration Requirement, What Qualifies for Registration, and Definitions

§ 5469. Definitions: Registration of Assault Weapons Pursuant to Penal Code Section 30900(b)(1); Who Must Register.

The following definitions apply to terms used in the identification of assault weapons pursuant to Penal Code section 30515:

- (a) — “Detachable magazine” means any ammunition feeding device that can be removed readily from the firearm with neither disassembly of the firearm action nor use of a tool being required. A bullet or ammunition cartridge is considered a tool. Ammunition feeding device includes any belted or linked ammunition, but does not include clips, en bloc clips, or stripper clips that load cartridges into the magazine.
- (b) — “Flash suppressor” means any device designed, intended, or that functions to perceptibly reduce or redirect muzzle flash from the shooter's field of vision.
- (c) — “Forward pistol grip” means a grip that allows for a pistol style grasp forward of the trigger.
- (d) — “Pistol grip that protrudes conspicuously beneath the action of the weapon” means a grip that allows for a pistol style grasp in which the web of the trigger hand (between the thumb and index finger) can be placed below the top of the exposed portion of the trigger while firing.
- (e) — “Thumbhole stock” means a stock with a hole that allows the thumb of the trigger hand to penetrate into or through the stock while firing.

Any person who, from January 1, 2001, to December 31, 2016, inclusive, lawfully possessed an assault weapon that does not have a fixed magazine, as defined in Penal Code section 30515, including those weapons with an ammunition feeding device that can be readily removed from the firearm with the use of a tool (commonly referred to as a bullet-button weapon) must register the firearm before January 1, 2018.

Note: Authority cited: Section 30520 30900, Penal Code. Reference: Sections 16170(a), 16350, 16890, 30515, 30600, 30605, 30610, 30615, 30620, 30625, 30630, 30635, 30640, 30645, 30650, 30655, 30660, 30665, 30670, 30675, 30900; and 30905, 30910, 30915, 30920, 30925, 30930, 30935, 30940, 30945, 30950, 30955, 30960 and 30965, Penal Code.

§ 5470. Registration of Assault Weapons Pursuant to Penal Code Section 30900(b)(1); Which Weapons Must be Registered.

- (a) Except as provided in section 5472, an assault weapon that does not have a fixed magazine, as defined by Penal Code section 30515, must be registered with the Department before January 1, 2018.
- (b) A semiautomatic, centerfire firearm (rifle, pistol, shotgun) with an ammunition feeding device that can be readily removed from the firearm with the use of a tool, commonly referred to as a bullet-button weapon, that has one or more specified features identified in Penal Code section 30515 is included in the category of firearms that must be registered.
- (c) A semiautomatic, rimfire pistol with an ammunition feeding device that can be readily removed from the firearm with the use of a tool, commonly referred to as a bullet-button weapon, which has one or more specified features identified in Penal Code section 30515 is included in the category of firearms that must be registered.

Note: Authority cited: Section 30900, Penal Code. Reference: Sections 30515, 30680, 30900 and 30950, Penal Code.

§ 5471. Registration of Assault Weapons Pursuant to Penal Code Section 30900(b)(1); Explanation of Terms Related to Assault Weapon Designation.

For purposes of Penal Code section 30515 and this Chapter the following definitions shall apply:

- (a) “Ability to accept a detachable magazine” means with respect to a semiautomatic shotgun, it does not have a fixed magazine.
- (b) “Action” means the working mechanism of a semiautomatic firearm, which is the combination of the receiver or frame and breech bolt together with the other parts of the mechanism by which a firearm is loaded, fired, and unloaded.
- (c) “Barrel” means the tube, usually metal and cylindrical, through which a projectile or shot charge is fired. Barrels may have a rifled or smooth bore.
- (d) “Barrel length” means the length of the barrel measured as follows: Without consideration of any extensions or protrusions rearward of the closed bolt or breech-face the approved procedure for measuring barrel length is to measure from the closed bolt (or breech-face) to the furthest end of the barrel or permanently attached muzzle device. Permanent methods of attachment include full-fusion gas or electric steel- seam welding, high-temperature (1100°F) silver soldering, or blind pinning with the pin head welded over. Barrels are measured by inserting a dowel rod into the barrel until the rod stops against the closed bolt or breech-face. The rod is then marked at the furthest end of the barrel or permanently attached muzzle device, withdrawn from the barrel, and measured.

- (e) “Bullet” means the projectile expelled from a gun. It is not synonymous with a cartridge. Bullets can be of many materials, shapes, weights, and constructions such as solid lead, lead with a jacket of harder metal, round-nosed, flat-nosed, hollow-pointed, et cetera.
- (f) “Bullet-button” means a product requiring a tool to remove an ammunition feeding device or magazine by depressing a recessed button or lever shielded by a magazine lock. A bullet-button equipped fully functional semiautomatic firearm does not meet the fixed magazine definition under Penal Code section 30515(b).
- (g) “Bore” means the interior of a firearm’s barrel excluding the chamber.
- (h) “Caliber” means the nominal diameter of a projectile of a rifled firearm or the diameter between lands in a rifled barrel. In the United States, caliber is usually expressed in hundreds of an inch; in Great Britain in thousandths of an inch; in Europe and elsewhere in millimeters.
- (i) “Cartridge” means a complete round of ammunition that consists of a primer, a case, propellant powder and one or more projectiles.
- (j) “Centerfire” means a cartridge with its primer located in the center of the base of the case.
- (k) “Contained in” means that the magazine cannot be released from the firearm while the action is assembled. For AR-15 style firearms this means the magazine cannot be released from the firearm while the upper receiver and lower receiver are joined together.
- (l) “Department” means the California Department of Justice.
- (m) “Detachable magazine” means any ammunition feeding device that can be removed readily from the firearm without disassembly of the firearm action or use of a tool. A bullet or ammunition cartridge is considered a tool. An ammunition feeding device includes any belted or linked ammunition, but does not include clips, en bloc clips, or stripper clips that load cartridges into the magazine.
- An AR-15 style firearm that has a bullet-button style magazine release with a magnet left on the bullet-button constitutes a detachable magazine. An AR-15 style firearm lacking a magazine catch assembly (magazine catch, magazine catch spring and magazine release button) constitutes a detachable magazine. An AK-47 style firearm lacking a magazine catch assembly (magazine catch, spring and rivet/pin) constitutes a detachable magazine.
- (n) “Disassembly of the firearm action” means the fire control assembly is detached from the action in such a way that the action has been interrupted and will not function. For example, disassembling the action on a two part receiver, like that on an AR-15 style firearm, would require the rear take down pin to be removed, the upper receiver lifted upwards and away from the lower receiver using the front pivot pin as the fulcrum, before the magazine may be removed.

- (o) “Featureless” means a semiautomatic firearm (rifle, pistol, or shotgun) lacking the characteristics listed in California Penal Code section 30515.
- (p) “Fixed magazine” means an ammunition feeding device contained in, or permanently attached to, a firearm in such a manner that the device cannot be removed without disassembly of the firearm action.
- (q) “Flare launcher” means a device used to launch signal flares.
- (r) “Flash suppressor” means any device attached to the end of the barrel, that is designed, intended, or functions to perceptibly reduce or redirect muzzle flash from the shooter's field of vision. A hybrid device that has either advertised flash suppressing properties or functionally has flash suppressing properties would be deemed a flash suppressor. A device labeled or identified by its manufacturer as a flash hider would be deemed a flash suppressor.
- (s) “FMBUS” means a Firearm Manufactured By Unlicensed Subject.
- (t) “Forward pistol grip” means a grip that allows for a pistol style grasp forward of the trigger.
- (u) “Frame” means the receiver of a pistol.
- (v) “Grenade launcher” means a device capable of launching a grenade.
- (w) “Permanently attached to” means the magazine is welded, epoxied, or riveted into the magazine well. A firearm with a magazine housed in a sealed magazine well and then welded, epoxied, or riveted into the sealed magazine will meet the definition of “permanently attached to”.
- (x) “Overall length of less than 30 inches” with respect to a centerfire rifle means the rifle has been measured in the shortest possible configuration that the weapon will function/fire and the measurement is less than 30 inches. Folding and telescoping stocks shall be collapsed prior to measurement. The approved method for measuring the length of the rifle is to measure the firearm from the end of the barrel, or permanently attached muzzle device, if so equipped, to that part of the stock that is furthest from the end of the barrel, or permanently attached muzzle device. (Prior to taking a measurement the owner must also check any muzzle devices for how they are attached to the barrel.)
- (y) “Pistol” means any device designed to be used as a weapon, from which a projectile is expelled by the force of any explosion, or other form of combustion, and that has a barrel less than 16 inches in length. This definition includes AR-15 style pistols with pistol buffer tubes attached. Pistol buffer tubes typically have smooth metal with no guide on the bottom for rifle stocks to be attached, and they sometimes have a foam pad on the end of the tube farthest from the receiver.

- (z) “Pistol grip that protrudes conspicuously beneath the action of the weapon” means a grip that allows for a pistol style grasp in which the web of the trigger hand (between the thumb and index finger) can be placed beneath or below the top of the exposed portion of the trigger while firing. This definition includes pistol grips on bullpup firearm designs.
- (aa) “Receiver” means the basic unit of a firearm which houses the firing and breech mechanisms and to which the barrel and stock are assembled.
- (bb) “Receiver, lower” means the lower part of a two part receiver.
- (cc) “Receiver, unfinished” means a precursor part to a firearm that is not yet legally a firearm. Unfinished receivers may be found in various levels of completion. As more finishing work is completed the precursor part gradually becomes a firearm. Some just have the shape of an AR-15 lower receiver for example, but are solid metal. Some have been worked on and the magazine well has been machined open. Firearms Manufactured by Unlicensed Subjects (FMBUS) began as unfinished receivers.
- (dd) “Receiver, upper” means the top portion of a two part receiver.
- (ee) “Rifle” means a weapon designed or redesigned, made or remade, and intended to be fired from the shoulder and designed or redesigned and made or remade to use the energy of the explosive in a fixed cartridge to fire only a single projectile through a rifled bore for each single pull of the trigger.
- (ff) “Rimfire” means a rimmed or flanged cartridge with the priming mixture located in the rim of the case.
- (gg) “Second handgrip” means a grip that allows the shooter to grip the pistol with their non-trigger hand. The second hand grip often has a grip texture to assist the shooter in weapon control.
- (hh) “Semiautomatic” means a firearm functionally able to fire a single cartridge, eject the empty case, and reload the chamber each time the trigger is pulled and released. Further, certain necessary mechanical parts that will allow a firearm to function in a semiautomatic nature must be present for a weapon to be deemed semiautomatic. A weapon clearly designed to be semiautomatic but lacking a firing pin, bolt carrier, gas tube, or some other crucial part of the firearm is not semiautomatic for purposes of Penal Code section 30515, 30600 and 30605(a) and 30900.
- (1) A mechanically whole semiautomatic firearm merely lacking ammunition and a proper magazine is a semiautomatic firearm.
- (2) A mechanically whole semiautomatic firearm disabled by a gun lock or other firearm safety device is a semiautomatic firearm. (All necessary parts are present, once the gun lock or firearm safety device is removed, and weapon can be loaded with a

magazine and proper ammunition.)

(3) With regards to an AR-15 style firearm, if a complete upper receiver and a complete lower receiver are completely detached from one another, but still in the possession or under the custody or control of the same person, the firearm is not a semiautomatic firearm.

(4) A stripped AR-15 lower receiver, when sold at a California gun store, is not a semiautomatic firearm. (The action type, among other things, is undetermined.)

(ii) “Shotgun with a revolving cylinder” means a shotgun that holds its ammunition in a cylinder that acts as a chamber much like a revolver. To meet this definition the shotgun’s cylinder must mechanically revolve or rotate each time the weapon is fired. A cylinder that must be manually rotated by the shooter does not qualify as a revolving cylinder.

(ji) “Shroud” means a heat shield that is attached to, or partially or completely encircles the barrel, allowing the shooter to fire the weapon and hold the barrel component without burning the shooter’s hand. A slide that encloses the barrel is not a shroud.

(kk) “Spigot” means a muzzle device on some firearms that are intended to fire grenades. The spigot is what the grenade is attached to prior to the launching of a grenade.

(ll) “Stock” means the part of a rifle, carbine, or shotgun to which the receiver is attached and which provides a means for holding the weapon to the shoulder. A stock may be fixed, folding, or telescoping.

(mm) “Stock, fixed” means a stock that does not move, fold, or telescope.

(nn) “Stock, folding” means a stock which is hinged in some fashion to the receiver to allow the stock to be folded next to the receiver to reduce the overall length of the firearm. This definition includes under folding and over folding stocks.

(oo) “Stock, telescoping” means a stock which is shortened or lengthened by allowing one section to telescope into another portion. On AR-15 style firearms, the buffer tube or receiver extension acts as the fixed part of the stock on which the telescoping butt stock slides or telescopes.

(pp) “Those weapons with an ammunition feeding device that can be readily removed from the firearm with the use of a tool” means functional semiautomatic rifles, pistols, and shotguns with bullet-button style magazine releases and one or more features as defined in Penal Code section 30515 and these regulations. These weapons do not have a fixed magazine.

(qq) “Thumbhole stock” means a stock with a hole that allows the thumb of the trigger hand to penetrate into or through the stock while firing.

(rr) “Threaded barrel, capable of accepting a flash suppressor, forward handgrip, or silencer”